

Joker.com FAQ

Table of Content

DNS/URL-Forwarding	2
Create a dns-configuration	2
Delete a dns-configuration	5
List a dns-configuration	6

DNS/URL-Forwarding

Create a dns-configuration

Introduction

With this request you can create or modify a `dnsconfig` at the `joker-nameserver`.
You can add `A-Records`, `CNAME-Records`, `MX-Records`, a `nameserver-based URL-forwarding` and a `frame-based URL-forwarding`. Modifying the TTL is not possible.
The format of this request is a little bit different from the other requests. Please check the given examples for how to specify the different console records.

ATTENTION:

You have to change the nameservers for a domain to the nameservers of `joker.com` first!

`-a:my.joker.com`
`-b:my.joker.com`
`-c:my.joker.com`
If you would like to use the `joker-nameserver`, you will have to use **all** `joker-nameservers`.
It is **not possible** to use the `joker-nameserver`.

● for primary nameserver only

● for secondary nameserver only

All joker-nameservers

● we configured to deny all zone-fetching request!

● do not query foreign nameserver!

Request Fields

Definition of the request

Record-Name	Record-Value	Required
SOA	Link to SOA	yes
A	Link to A	no
AAAA	Link to AAAA	no
MX	Link to MX	no
NS	Link to NS	no
TXT	Link to TXT	no

Example 1: create `dns-config` (without url-forwarding and without wildcard-matching)

subject: create dns-config [your reference id]

domain@joker.com

A:www.194.23.110.19

DNS/URL-Forwarding

A:mail.194.23.110.19

A:mail2.194.23.110.20

A:8.194.23.110.10

MX:www.hanroosa.net 70 mail.hanroosa.net

MX:www.hanroosa.net 80 mail2.hanroosa.net

MX:8.70 mail.hanroosa.net

MX:8.80 mail2.hanroosa.net

CNAME:www2.hanroosa.net other.domain.com

Example 2: create dns-confiq (with wildcard-matching)

subject: create dns-confiq [your reference id]

domain:07.hanroosa.net

A:www.194.23.110.19

A:8.194.23.110.10

A*:194.23.110.20

Example 3: create dns-confiq (with dns-based url-forwarding)

subject: create dns-confiq [your reference id]

domain:07.hanroosa.net

A:www.194.23.110.19

A:8.194.23.110.10

URL:www2?http://www.some.other.domain.com/index.html

[Other records, the url within the bracket is changing to the target address]

DNS/URL-Forwarding

Example 4 create dns.conf file with forward-based forwarding

```
subject create dns.conf [your reference id]
```

```
domain2 forwarder.net
```

```
A www 194.23.110.10
```

```
A @ 194.23.110.10
```

```
FRONT www2 http://www.some.other.domain.com/index.html
```

(that means, the url within the browser is not changing to the target address)

Keywords: nameserver, records, zone, forwarding

Last update: 2011-08-11 15:37

DNS/URL-Forwarding

Delete a dns-configuration

Introduction

With this request you can delete a zonefile at the joker nameserver.

Request fields

mailto:subject: delete dns-config [your reference id]

Definition of the request

Request field	Request value	Request type
subject	delete dns-config [your reference id]	text

Example 1: delete dns-config

subject: delete dns-config [your reference id]

domain@nameserver.net

Keywords: nameserver,dns-config,records, forwarding

Last update: 2011-08-11 15:37

DNS/URL-Forwarding

List a dns-configuration

Introduction

With this request you can get a listing of a current console.

Request fields

request:subject list dns-config [your reference id] definition of this request

request:subject	request:subject	request:subject

Example 1: list dns-config

request:subject list dns-config [your reference id]

request:subject list dns-config

Keywords: nameserver,dns-config,records, forwarding

Last update: 2011-08-11 15:38

DNS/URL-Forwarding