Joker.com FAQ

Table of Content

DNS/URL-Forwarding 2
Create a dns-configuration 2
Delete a dns-configuration 5
List a dns-configuration 6

(c) 2023 Joker.com <webmaster@joker.com> | 2023-08-03 19:24

DNS/URL-Forwarding
Create a dns-configuration

Introduction

With this request you can create or modify a zonefile at the joker-nameserver.

You can add A-Records, CNAME-Records, MX-Records, a nameservice-based Url-forwarding and a frame-based Url-forwarding. Modifing the TTL is not possible.

The format of this request is a little bit different from the other requests. Please check the given examples for how to specify the different zonefile-records.

ATTENTION:

You have to change the nameservers for a domain to the nameservers of joker.com first!

- a.ns.joker.com
- b.ns.joker.com
- c.ns.joker.com

If you would like to use the joker-nameservice, you will have to use **all** joker-nameservers.

It is **not** possible to use the joker-nameservice

- for primary nameservice only
- for secondarynameservice only

All joker-nameservers

- are configured to deny all zone-fetching requests!
- do not query foreign nameservers!

Request Fields

Definition of this request

request-field	valid values	required
domain0	domain	yes
A	ipv4 records	no
CNAME	hostname records	no
MX	prefix records	no
URL	prefix records	no
FRAME	prefix records	no

Example 1: **create dns-config** (without url-forwarding and without wildcard-matching)

subject: create dns-config [your reference id]

domain0 hanenose.net

A www 194.33.110.19

(c) 2023 Joker.com <webmaster@joker.com> | 2023-08-03 19:24

DNS/URL-Forwarding

A:mail:194.33.110.19

A:mail2:194.33.110.20

A:@:194.33.110.10

MX:www.hansnose.net:70:mail.nrw.net

MX:www.hansnose.net:80:mail2.nrw.net

MX:@:70:mail.hansnose.net

MX:@:80:mail2.hansnose.net

CNAME:www2:some.other.domain.com

Example 2: **create dns-config** (with wildcard-matching)

subject: create dns-config [your reference id]

domainid:hansnose.net

A:www:194.33.110.19

A:@:194.33.110.19

A:*:194.33.110.20

Example 3: **create dns-config** (with dns-based url-forwarding)

subject: create dns-config [your reference id]

domainid:hansnose.net

A:www:194.33.110.19

A:@:194.33.110.19

URL:www2:http://www.sone.other.domain.com/index.html

(that means, the url within the browserbar is changing to the target address)

(c) 2023 Joker.com <webmaster@joker.com> | 2023-08-03 19:24

DNS/URL-Forwarding

Example 4: **create dns-config** (with frame-based url-forwarding)

subject: create dns-config [your reference id]

domains0:hanenose.net

A:www:194.33.110.19

A:@:194.33.110.19

FRAME:www2:http://www.sone.other.domain.com/index.html

*(that means, the url within the browserbar is **not** changing to the target address)*

Keywords: nameserver, records, zone, forwarding

Last update: 2011-08-11 15:37

(c) 2023 Joker.com <webmaster@joker.com> | 2023-08-03 19:24

DNS/URL-Forwarding

Delete a dns-configuration

Introduction

With this request you can delete a zonefile at the joker-nameserver.

Request fields

mailsubject: delete dns-config [your reference id]

Definition of this request

request field	valid values	required
domainlist	[domain]	yes

Example 1: **delete dns-config**

subject: delete dns-config [your reference id]
domainlist hamenose.net

Keywords: nameserver,dns-config,records, forwarding

Last update: 2011-08-11 15:37

(c) 2023 Joker.com <webmaster@joker.com> | 2023-08-03 19:24

DNS/URL-Forwarding

List a dns-configuration

Introduction

With this request you can get a listing of a current zonefile.

Request fields

mailsubject: list dns-config [your reference id] definition of this request

Request-field	Valid values	required
command	[empty]	yes

Example 1: **list dns-config**

subject: list dns-config [your reference id]

domainid0 hanenose.net

Keywords: nameserver,dns-config,records, forwarding

Last update: 2011-08-11 15:38

(c) 2023 Joker.com <webmaster@joker.com> | 2023-08-03 19:24

(c) 2023 Joker.com <webmaster@joker.com> | 2023-08-03 19:24