

# Joker.com FAQ

## Table of Content

<b>Contacts</b> .....	2
Create a contact .....	2
Modify a contact .....	6
Change an address .....	9
Change an owner .....	11
.asia Contacts .....	15

# Contacts

## Create a contact

Introduction

create vbs-order

Valid values for vbs:

- com
- net
- org
- info
- biz
- mobi
- name
- us
- de
- cn
- au

With the request you can create person contacts. You can create 1 contact with one request.

**ATTENTION:**

You will find the request field "individual" within the request definition. If you set it to "Y", you have to provide the request fields "firstname" and "lastname". If you set it to "N", you have to provide information in the request field "organization".

As the value for vbs shows a field called person, the rules for generating the field are the following:  
If you provide the field "lastname", the value is always always the values of this field, regardless of "firstname" and "lastname".

If you only provide the field "firstname" and the field "lastname", we will generate the field "lastname" as the result of the concatenation of "firstname" + " " + "lastname".

The result of "create vbs-contact" is a reference which is following the format:

- CCOM-*number*-e.g. CCOM-176269 for a .com domain.
- CNET-*number*-e.g. CNET-176269 for a .net domain.
- CORG-*number*-e.g. CORG-176269 for a .org domain.
- CINFO-*number*-e.g. CINFO-176269 for a .info domain.
- CBIZ-*number*-e.g. CBIZ-176269 for a .biz domain.
- CMOB-*number*-e.g. CMOB-176269 for a .mobi domain.
- CNAME-*number*-e.g. CNAME-176269 for a .name domain.
- CUS-*number*-e.g. CUS-176269 for a .us domain.
- CDE-*number*-e.g. CDE-176269 for a .de domain.
- CCN-*number*-e.g. CCN-176269 for a .cn domain.
- CAU-*number*-e.g. CAU-176269 for a .au domain.

Request fields

multiSubject create vbs-contact [your reference ID]

Definition of this request

# Contacts

ATTENTION

According to the rules of DENIC, you have to provide a first name for the admin-c and the last-c of a .de domain.

CONTACT ID	CONTACT DATA		CONTACT TYPE
	CONTACT NAME	CONTACT PHONE	
CONTACT 1	CONTACT 1	CONTACT 1	CONTACT 1
CONTACT 2	CONTACT 2	CONTACT 2	CONTACT 2
CONTACT 3	CONTACT 3	CONTACT 3	CONTACT 3
CONTACT 4	CONTACT 4	CONTACT 4	CONTACT 4
CONTACT 5	CONTACT 5	CONTACT 5	CONTACT 5
CONTACT 6	CONTACT 6	CONTACT 6	CONTACT 6
CONTACT 7	CONTACT 7	CONTACT 7	CONTACT 7
CONTACT 8	CONTACT 8	CONTACT 8	CONTACT 8
CONTACT 9	CONTACT 9	CONTACT 9	CONTACT 9
CONTACT 10	CONTACT 10	CONTACT 10	CONTACT 10
CONTACT 11	CONTACT 11	CONTACT 11	CONTACT 11
CONTACT 12	CONTACT 12	CONTACT 12	CONTACT 12
CONTACT 13	CONTACT 13	CONTACT 13	CONTACT 13
CONTACT 14	CONTACT 14	CONTACT 14	CONTACT 14
CONTACT 15	CONTACT 15	CONTACT 15	CONTACT 15
CONTACT 16	CONTACT 16	CONTACT 16	CONTACT 16
CONTACT 17	CONTACT 17	CONTACT 17	CONTACT 17
CONTACT 18	CONTACT 18	CONTACT 18	CONTACT 18
CONTACT 19	CONTACT 19	CONTACT 19	CONTACT 19
CONTACT 20	CONTACT 20	CONTACT 20	CONTACT 20
CONTACT 21	CONTACT 21	CONTACT 21	CONTACT 21
CONTACT 22	CONTACT 22	CONTACT 22	CONTACT 22
CONTACT 23	CONTACT 23	CONTACT 23	CONTACT 23
CONTACT 24	CONTACT 24	CONTACT 24	CONTACT 24
CONTACT 25	CONTACT 25	CONTACT 25	CONTACT 25
CONTACT 26	CONTACT 26	CONTACT 26	CONTACT 26
CONTACT 27	CONTACT 27	CONTACT 27	CONTACT 27
CONTACT 28	CONTACT 28	CONTACT 28	CONTACT 28
CONTACT 29	CONTACT 29	CONTACT 29	CONTACT 29
CONTACT 30	CONTACT 30	CONTACT 30	CONTACT 30
CONTACT 31	CONTACT 31	CONTACT 31	CONTACT 31
CONTACT 32	CONTACT 32	CONTACT 32	CONTACT 32
CONTACT 33	CONTACT 33	CONTACT 33	CONTACT 33
CONTACT 34	CONTACT 34	CONTACT 34	CONTACT 34
CONTACT 35	CONTACT 35	CONTACT 35	CONTACT 35
CONTACT 36	CONTACT 36	CONTACT 36	CONTACT 36
CONTACT 37	CONTACT 37	CONTACT 37	CONTACT 37
CONTACT 38	CONTACT 38	CONTACT 38	CONTACT 38
CONTACT 39	CONTACT 39	CONTACT 39	CONTACT 39
CONTACT 40	CONTACT 40	CONTACT 40	CONTACT 40
CONTACT 41	CONTACT 41	CONTACT 41	CONTACT 41
CONTACT 42	CONTACT 42	CONTACT 42	CONTACT 42
CONTACT 43	CONTACT 43	CONTACT 43	CONTACT 43
CONTACT 44	CONTACT 44	CONTACT 44	CONTACT 44
CONTACT 45	CONTACT 45	CONTACT 45	CONTACT 45
CONTACT 46	CONTACT 46	CONTACT 46	CONTACT 46
CONTACT 47	CONTACT 47	CONTACT 47	CONTACT 47
CONTACT 48	CONTACT 48	CONTACT 48	CONTACT 48
CONTACT 49	CONTACT 49	CONTACT 49	CONTACT 49
CONTACT 50	CONTACT 50	CONTACT 50	CONTACT 50
CONTACT 51	CONTACT 51	CONTACT 51	CONTACT 51
CONTACT 52	CONTACT 52	CONTACT 52	CONTACT 52
CONTACT 53	CONTACT 53	CONTACT 53	CONTACT 53
CONTACT 54	CONTACT 54	CONTACT 54	CONTACT 54
CONTACT 55	CONTACT 55	CONTACT 55	CONTACT 55
CONTACT 56	CONTACT 56	CONTACT 56	CONTACT 56
CONTACT 57	CONTACT 57	CONTACT 57	CONTACT 57
CONTACT 58	CONTACT 58	CONTACT 58	CONTACT 58
CONTACT 59	CONTACT 59	CONTACT 59	CONTACT 59
CONTACT 60	CONTACT 60	CONTACT 60	CONTACT 60
CONTACT 61	CONTACT 61	CONTACT 61	CONTACT 61
CONTACT 62	CONTACT 62	CONTACT 62	CONTACT 62
CONTACT 63	CONTACT 63	CONTACT 63	CONTACT 63
CONTACT 64	CONTACT 64	CONTACT 64	CONTACT 64
CONTACT 65	CONTACT 65	CONTACT 65	CONTACT 65
CONTACT 66	CONTACT 66	CONTACT 66	CONTACT 66
CONTACT 67	CONTACT 67	CONTACT 67	CONTACT 67
CONTACT 68	CONTACT 68	CONTACT 68	CONTACT 68
CONTACT 69	CONTACT 69	CONTACT 69	CONTACT 69
CONTACT 70	CONTACT 70	CONTACT 70	CONTACT 70
CONTACT 71	CONTACT 71	CONTACT 71	CONTACT 71
CONTACT 72	CONTACT 72	CONTACT 72	CONTACT 72
CONTACT 73	CONTACT 73	CONTACT 73	CONTACT 73
CONTACT 74	CONTACT 74	CONTACT 74	CONTACT 74
CONTACT 75	CONTACT 75	CONTACT 75	CONTACT 75
CONTACT 76	CONTACT 76	CONTACT 76	CONTACT 76
CONTACT 77	CONTACT 77	CONTACT 77	CONTACT 77
CONTACT 78	CONTACT 78	CONTACT 78	CONTACT 78
CONTACT 79	CONTACT 79	CONTACT 79	CONTACT 79
CONTACT 80	CONTACT 80	CONTACT 80	CONTACT 80
CONTACT 81	CONTACT 81	CONTACT 81	CONTACT 81
CONTACT 82	CONTACT 82	CONTACT 82	CONTACT 82
CONTACT 83	CONTACT 83	CONTACT 83	CONTACT 83
CONTACT 84	CONTACT 84	CONTACT 84	CONTACT 84
CONTACT 85	CONTACT 85	CONTACT 85	CONTACT 85
CONTACT 86	CONTACT 86	CONTACT 86	CONTACT 86
CONTACT 87	CONTACT 87	CONTACT 87	CONTACT 87
CONTACT 88	CONTACT 88	CONTACT 88	CONTACT 88
CONTACT 89	CONTACT 89	CONTACT 89	CONTACT 89
CONTACT 90	CONTACT 90	CONTACT 90	CONTACT 90
CONTACT 91	CONTACT 91	CONTACT 91	CONTACT 91
CONTACT 92	CONTACT 92	CONTACT 92	CONTACT 92
CONTACT 93	CONTACT 93	CONTACT 93	CONTACT 93
CONTACT 94	CONTACT 94	CONTACT 94	CONTACT 94
CONTACT 95	CONTACT 95	CONTACT 95	CONTACT 95
CONTACT 96	CONTACT 96	CONTACT 96	CONTACT 96
CONTACT 97	CONTACT 97	CONTACT 97	CONTACT 97
CONTACT 98	CONTACT 98	CONTACT 98	CONTACT 98
CONTACT 99	CONTACT 99	CONTACT 99	CONTACT 99
CONTACT 100	CONTACT 100	CONTACT 100	CONTACT 100

```

CREATE COM CONTACT
Example 1: create com-contact (name will be generated from frame and frame)
subject: create com-contact [your reference id]
email: gregor@joker.net
individual: 1
frame: joker
frame: joker
address-1: Frankfurt, Hessen
address-2: App. 1
postal-code: 60111
city: Frankfurt
country: DE
phone: 44 123456789010

Example 2: create com-contact (name and frame will be ignored)
subject: create com-contact [your reference id]
email: gregor@joker.net
individual: 1
frame: joker
frame: joker
name: Mr. Gerdorf Name
name-2: Gerdorf Name
address-1: Frankfurt, Hessen
address-2: App. 1
postal-code: 60111
city: Frankfurt
country: DE
phone: 44 123456789010
    
```

```

CREATE NET CONTACT
Example 1: create net-contact (name will be generated from frame and frame)
subject: create net-contact [your reference id]
email: gregor@joker.net
individual: 1
frame: joker
frame: joker
name: Mr. Gerdorf Name
name-2: Gerdorf Name
address-1: Frankfurt, Hessen
address-2: App. 1
postal-code: 60111
city: Frankfurt
country: DE
phone: 44 123456789010

Example 2: create net-contact (name and frame will be ignored)
subject: create net-contact [your reference id]
email: gregor@joker.net
individual: 1
frame: joker
frame: joker
name: Mr. Gerdorf Name
name-2: Gerdorf Name
address-1: Frankfurt, Hessen
address-2: App. 1
postal-code: 60111
city: Frankfurt
country: DE
phone: 44 123456789010

CREATE ORG CONTACT
Example 1: create org-contact (name will be generated from frame and frame)
subject: create org-contact [your reference id]
email: gregor@joker.org
    
```

# Contacts

individualY  
frame group  
frame group  
address-1 transferable means  
address-2 App. 1  
postal-code 4711  
city name  
country DE  
phone 44 13283794 50640

**Example 2:** create org-contact (frame and frame will be ignored)

subject: create org-contact [your reference id]

email: gregor@bosch.org  
individualY  
frame group  
frame group  
name: Mr. Gernot Noss  
address-1 transferable means  
address-2 App. 1  
postal-code 4711  
city name  
country DE  
phone 44 13283794 50640

## CREATE INFO CONTACT

**Example 1:** create info-contact (frame will be generated from frame and frame)

subject: create info-contact [your reference id]

email: gregor@bosch.info  
individualY  
frame group  
frame group  
name: Mr. Gernot Noss  
address-1 transferable means  
address-2 App. 1  
postal-code 4711  
city name  
country DE  
phone 44 13283794 50640

**Example 2:** create info-contact (frame and frame will be ignored)

subject: create info-contact [your reference id]

email: gregor@bosch.info  
individualY  
frame group  
frame group  
name: Mr. Gernot Noss  
address-1 transferable means  
address-2 App. 1  
postal-code 4711  
city name  
country DE  
phone 44 13283794 50640

## CREATE BIZ CONTACT

**Example 1:** create biz-contact (frame will be generated from frame and frame)

subject: create biz-contact [your reference id]

email: gregor@bosch.biz  
individualY  
frame group  
frame group  
name: Mr. Gernot Noss  
address-1 transferable means  
address-2 App. 1  
postal-code 4711  
city name  
country DE  
phone 44 13283794 50640

**Example 2:** create biz-contact (frame and frame will be ignored)

subject: create biz-contact [your reference id]

email: gregor@bosch.biz  
individualY  
frame group  
frame group  
name: Mr. Gernot Noss  
address-1 transferable means  
address-2 App. 1  
postal-code 4711  
city name  
country DE  
phone 44 13283794 50640

## CREATE NAME CONTACT

**Example 1:** create name-contact (frame will be generated from frame and frame)

subject: create name-contact [your reference id]

email: gregor@bosch.net  
individualY  
frame group  
frame group  
name: Mr. Gernot Noss  
address-1 transferable means  
address-2 App. 1  
postal-code 4711  
city name  
country DE  
phone 44 13283794 50640

**Example 2:** create name-contact (frame and frame will be ignored)

subject: create name-contact [your reference id]

email: gregor@bosch.net  
individualY  
frame group  
frame group  
name: Mr. Gernot Noss  
address-1 transferable means  
address-2 App. 1  
postal-code 4711  
city name  
country DE  
phone 44 13283794 50640

## CREATE US CONTACT

**Example 1:** create us-contact (frame will be generated from frame and frame)

subject: create us-contact [your reference id]

email: gregor@bosch.us  
individualY  
frame group  
frame group  
name: Mr. Gernot Noss  
address-1 transferable means  
address-2 App. 1  
postal-code 4711  
city name  
country DE  
phone 44 13283794 50640

**Example 2:** create us-contact (frame and frame will be ignored)

subject: create us-contact [your reference id]

email: gregor@bosch.us  
individualY  
frame group  
frame group  
name: Mr. Gernot Noss  
address-1 transferable means  
address-2 App. 1  
postal-code 4711  
city name  
country DE  
phone 44 13283794 50640

## CREATE DE CONTACT

**Example 1:** create de-contact (frame will be generated from frame and frame)

subject: create de-contact [your reference id]

email: gregor@bosch.de  
individualY  
frame group  
frame group  
name: Mr. Gernot Noss  
address-1 transferable means  
address-2 App. 1  
postal-code 4711  
city name  
country DE  
phone 49 13283794 50640

**Example 2:** create de-contact (frame and frame will be ignored)

subject: create de-contact [your reference id]

email: gregor@bosch.de  
individualY  
frame group  
frame group  
name: Mr. Gernot Noss  
address-1 transferable means  
address-2 App. 1  
postal-code 4711  
city name  
country DE  
phone 49 13283794 50640

## CREATE CN CONTACT

**Example 1:** create cn-contact (frame will be generated from frame and frame)

subject: create cn-contact [your reference id]

email: gregor@bosch.cn  
individualY  
frame group  
frame group  
name: Mr. Gernot Noss  
address-1 transferable means  
address-2 App. 1  
postal-code 4711  
city name  
country DE  
phone 44 13283794 50640

**Example 2:** create cn-contact (frame and frame will be ignored)

subject: create cn-contact [your reference id]

email: gregor@bosch.cn  
individualY  
frame group  
frame group  
name: Mr. Gernot Noss  
address-1 transferable means  
address-2 App. 1  
postal-code 4711  
city name  
country DE  
phone 44 13283794 50640

## CREATE EU CONTACT

**Example 1:** create eu-contact (frame will be generated from frame and frame)

subject: create eu-contact [your reference id]

email: gregor@bosch.eu  
individualY  
frame group  
frame group  
name: Mr. Gernot Noss  
address-1 transferable means  
address-2 App. 1  
postal-code 4711  
city name  
country DE  
phone 44 13283794 50640

# Contacts

phone 44 1282754 50640

Example 2: create an contact (Name and name will be ignored)

subject: create an contact (your reference id)

email: gregor@haha.net

nickname: G

name: gregor

name: Greg

name: Greg

address: 1234567890 street

address: 2 Ave. 1

zip: 123456789

city: Berlin

country: DE

phone: 44 1282754 50640

Keywords: whois, contacts

Last update: 2011-08-11 15:38

# Contacts

## Modify a contact

**Introduction**  
 With this request you can modify person contacts. You can modify 1 contact with one request. Unspecified request fields will be ignored.

**ATTENTION**

After changing the content of the specified contact, the whole information is automatically updated.  
 Keep in mind that you have to provide the numerical suffix of a handle.

- If you want to make an address change within the owner-record of a domain, you have to send a "readyly con-domain"-request after changing the content of the specified handle.
- Only contact handles, which are created by the reseller or where the e-mail within the contact is matching the reseller's initial-email can be changed.

Definition of the request

	Please, refer to the table below.	

# Contacts

--	--	--	--

NAME	PHONE
	0000-000000
	0000-000000
	0000-000000
	0000-000000
	0000-000000
	0000-000000
	0000-000000
	0000-000000
	0000-000000
	0000-000000
	0000-000000
	0000-000000
	0000-000000
	0000-000000
	0000-000000
	0000-000000
	0000-000000
	0000-000000
	0000-000000
	0000-000000

**MODIFY COM CONTACT**  
**Example 1:** modify com-contact  
 subject: modify-com-contact [your-reference-id]  
 header: MODIFY-ORG  
 address: 1 Your-mail@news  
 postnet: code 4211  
 city: mycity  
 country: DE  
 phone: 44 1230794 50000

**MODIFY NET CONTACT**  
**Example 1:** modify net-contact  
 subject: modify-net-contact [your-reference-id]  
 header: MODIFY-ORG  
 address: 1 Your-mail@news  
 postnet: code 4211  
 city: mycity  
 country: DE  
 phone: 44 1230794 50000

**MODIFY ORG CONTACT**  
**Example 1:** modify org-contact  
 subject: modify-org-contact [your-reference-id]  
 header: MODIFY-ORG  
 address: 1 Your-mail@news  
 postnet: code 4211  
 city: mycity  
 country: DE  
 phone: 44 1230794 50000

**MODIFY INFO CONTACT**  
**Example 1:** modify info-contact  
 subject: modify-info-contact [your-reference-id]  
 header: MODIFY-ORG  
 address: 1 Your-mail@news  
 postnet: code 4211  
 city: mycity  
 country: DE  
 phone: 44 1230794 50000

**Example 2:** modify info-contact (new naming convention for info-handled)  
 subject: modify-info-contact [your-reference-id]  
 header: MODIFY-ORG  
 address: 1 Your-mail@news  
 postnet: code 4211  
 city: mycity  
 country: DE  
 phone: 44 1230794 50000

**MODIFY BIZ CONTACT**  
**Example 1:** modify biz-contact  
 subject: modify-biz-contact [your-reference-id]  
 header: MODIFY-ORG  
 address: 1 Your-mail@news  
 postnet: code 4211  
 city: mycity  
 country: DE  
 phone: 44 1230794 50000

**MODIFY NAME CONTACT**

# Contacts

**Example 1: modify name-contact**  
subject: modify name-contact [your reference id]  
header: CN=CN=123  
address: 1 rue de la Paix  
postal-code=4711  
city=bordeaux  
country=DE  
  
phone: +44 1234567890

**MODIFY US CONTACT**  
**Example 1: modify us-contact**  
subject: modify us-contact [your reference id]  
header: CN=CN=123  
address: 1 rue de la Paix  
postal-code=4711  
city=bordeaux  
country=DE  
  
phone: +44 1234567890

**MODIFY DE CONTACT**  
**Example 1: modify de-contact**  
subject: modify de-contact [your reference id]  
header: CN=CN=123  
address: 1 rue de la Paix  
postal-code=4711  
city=bordeaux  
country=DE  
  
phone: +44 1234567890

**MODIFY EU CONTACT**  
**Example 1: modify eu-contact**  
subject: modify eu-contact [your reference id]  
header: CN=CN=123  
address: 1 rue de la Paix  
postal-code=4711  
city=bordeaux  
country=DE  
  
phone: +44 1234567890

Keywords: whois, contacts

Last update: 2011-08-11 15:39



# Contacts

## Change an address

Introduction

Change v6to-address

Valid values for v6to:

- com
- net
- org
- info
- biz
- mobi
- name
- us
- de
- ca

With this request you can change the address of the domain owner.

**ATTENTION**

It is not possible to change the following fields of the contact record:

- individual
- home
- frame
- site
- organization
- email

Request fields

method: change-com-address {your-reference-id}

Definition of this request

Request ID	Request Fields		Response
	Field Name	Value	
REQ001	contactId	1234567890	
REQ001	newAddress	example.com	
REQ002	contactId	1234567890	
REQ002	newAddress	example.com	
REQ003	contactId	1234567890	
REQ003	newAddress	example.com	

# Contacts

	EXAMPLE 1: change com-address [your reference id]	EXAMPLE 1: change com-address [your reference id]	
		EXAMPLE 1: change com-address [your reference id]	
		EXAMPLE 1: change com-address [your reference id]	
		EXAMPLE 1: change com-address [your reference id]	
		<a href="#">Example 1: change org-address</a>	
		EXAMPLE 1: change org-address [your reference id]	
		EXAMPLE 1: change org-address [your reference id]	

## EXAMPLE 1: change com-address [your reference id]

subject: change com-address [your reference id]

domain@dpsns.com  
address:1 Northall Finess  
postcode:4711  
city:mayag  
country:DE  
phone:44 1382374 50400

### CHANGE NET ADDRESS

Example 1: change net address

subject: change net address [your reference id]

domain@dpsns.de  
address:1 Northall Finess  
postcode:4711  
city:mayag  
country:DE  
phone:44 1382374 50400

### CHANGE INFO ADDRESS

Example 1: change info address

subject: change info address [your reference id]

domain@dpsns.org  
address:1 Northall Finess  
postcode:4711  
city:mayag  
country:DE  
phone:44 1382374 50400

### CHANGE INFO ADDRESS

Example 1: change info address

subject: change info address [your reference id]

domain@dpsns.biz  
address:1 Northall Finess  
postcode:4711  
city:mayag  
country:DE  
phone:44 1382374 50400

### CHANGE BIO ADDRESS

Example 1: change bio address

subject: change bio address [your reference id]

domain@dpsns.biz  
address:1 Northall Finess  
postcode:4711  
city:mayag  
country:DE  
phone:44 1382374 50400

### CHANGE NAME ADDRESS

Example 1: change name address

subject: change name address [your reference id]

domain@dpsns.name  
address:1 Northall Finess  
postcode:4711  
city:mayag  
country:DE  
phone:44 1382374 50400

### CHANGE US ADDRESS

Example 1: change us address

subject: change us address [your reference id]

domain@dpsns.de  
address:1 Northall Finess  
postcode:4711  
city:mayag  
country:DE  
phone:44 1382374 50400

### CHANGE DE ADDRESS

Example 1: change de address

subject: change de address [your reference id]

domain@dpsns.de  
address:1 Northall Finess  
postcode:4711  
city:mayag  
country:DE  
phone:44 1382374 50400

### CHANGE CN ADDRESS

Example 1: change cn address

subject: change cn address [your reference id]

domain@dpsns.cn  
address:1 Northall Finess  
postcode:4711  
city:mayag  
country:DE  
phone:44 1382374 50400

Keywords: whois, contacts

Last update: 2011-08-11 15:39

# Contacts

## Change an owner

### Introduction

With this request you can change the owner of a .com/.net/.org/.info/.mobi/.name/.biz/.de/.cn/.eu/.us-domain.

### Request fields

mailsubject: change owner [your reference id]

Definition of this request

request-field	valid values	required
domains0		yes
email	an email <b>without</b> the numerical suffix	no
individual	[YN]	no
name	[\x20-\x7e]{0,80}	no
lname	[\x20-\x7e]{0,80}	no
fname	[\x20-\x7e]{0,80}	no
title	[\x20-\x7e]{0,80}	no
organization	[\x20-\x7e]{0,80}	no
address-1	[\x20-\x7e]{0,80}	no
address-2	[\x20-\x7e]{0,80}	no
postal-code	[\x20-\x7e]{0,50}	no
state	[\x20-\x7e]{0,80}	no
city	[\x20-\x7e]{0,80}	no
country	<a href="#">@country</a>	no
phone	[\x20-\x7e]{0,50}	no
fax	[\x20-\x7e]{0,50}	no no
lock-opt-out	[YN]	

CHANGE .COM OWNER

### Example 1: change owner

subject: change owner [your reference id]

domains0:gonzo.com  
fname:hans  
lname:nose  
address-1:horsefair mews  
postal-code:4711  
city:romsey

# Contacts

country:DE  
phone:44 13383794 504040

CHANGE .NET OWNER

**Example 1:** change owner

subject: change owner [your reference id]

domains0:gonzo.net  
fname:hans  
lname:nose  
address-1:horsefair mews  
postal-code:4711  
city:romsey  
country:DE  
phone:44 13383794 504040

CHANGE .ORG OWNER

**Example 1:** change owner

subject: change owner [your reference id]  
domains0:gonzo.org  
fname:hans  
lname:nose  
address-1:horsefair mews  
postal-code:4711  
city:romsey  
country:DE  
phone:44 13383794 504040

CHANGE .INFO OWNER

**Example 1:** change owner

subject: change owner [your reference id]

domains0:gonzo.info  
fname:hans  
lname:nose  
address-1:horsefair mews  
postal-code:4711  
city:romsey  
country:DE  
phone:44 13383794 504040

CHANGE .BIZ OWNER

**Example 1:** change owner

subject: change owner [your reference id]

domains0:gonzo.biz  
fname:hans  
lname:nose

# Contacts

address-1:horsefair mews  
postal-code:4711  
city:romsey  
country:DE  
phone:44 13383794 504040

CHANGE .NAME OWNER

**Example 1:** change owner

subject: change owner [your reference id]

domains0:gonzo.name  
fname:hans  
lname:nose  
address-1:horsefair mews  
postal-code:4711  
city:romsey  
country:DE  
phone:44 13383794 504040

CHANGE .US OWNER

**Example 1:** change owner

subject: change owner [your reference id]

domains0:gonzo.us  
fname:hans  
lname:nose  
address-1:horsefair mews  
postal-code:4711  
city:romsey  
country:DE  
phone:44 13383794 504040

CHANGE .DE OWNER

**Example 1:** change owner

subject: change owner [your reference id]

domains0:gonzo.de  
fname:hans  
lname:nose  
address-1:horsefair mews  
postal-code:4711  
city:romsey  
country:DE  
phone:44 13383794 504040

CHANGE .CN OWNER

**Example 1:** change owner

subject: change owner [your reference id]

# Contacts

domains0:gonzo.cn  
fname:hans  
lname:nose  
address-1:horsefair mews  
postal-code:4711  
city:romsey  
country:DE  
phone:44 13383794 504040

Keywords: whois, contacts, transfer

Last update: 2016-11-21 15:06

# Contacts

## .asia Contacts

**new-handle** (explicit creation of a new contact)

This means the definition of a new contact. If a contact with the provided email address exists in the JOKER-DATABASE, a new contact will be created. The reference for the created handle is following the format CDAAS-number, e.g. CDAAS-176265.

**ATTENTION**

The name of the request field depends on the contact. If you want to create a contact for the owner-contact, you have to replace the "-" at the beginning of the fieldname with "owner-contact".

If you want to create a contact for the admin-contact, you have to replace the "-" at the beginning of the fieldname with "admin-contact".

If you want to create a contact for the tech-contact, you have to replace the "-" at the beginning of the fieldname with "tech-contact".

If you want to create a contact for the billing-contact, you have to replace the "-" at the beginning of the fieldname with "billing-contact".

There is a new request field called **name** within the contact definition. This field is mandatory. If you do not provide the **firstname**. You have to provide the request field **name**. If **firstname** and **lastname** are not found. This is very important for the whole output. Everywhere a field **person** is shown. If you are using the request field **name**, the whole is showing the value for **name**, regardless the content of the request fields **firstname** and **lastname**. If you do not provide the request field **name** but you are providing the request fields **firstname** and **lastname**, the whole is showing the concatenation of these fields.

There is also a new request field called **address2** within the contact definition. This field is not mandatory. It is simply the 3rd line of the address.

request field	request field	request field
name	name	name
firstname	name	name
lastname	name	name
email	name	name
phone	name	name
address	name	name
address2	name	name
address3	name	name
organization	name	name
website	name	name
description	name	name
status	name	name
created	name	name
modified	name	name
deleted	name	name
password	name	name
password2	name	name
password3	name	name
password4	name	name
password5	name	name
password6	name	name
password7	name	name
password8	name	name
password9	name	name
password10	name	name
password11	name	name
password12	name	name
password13	name	name
password14	name	name
password15	name	name
password16	name	name
password17	name	name
password18	name	name
password19	name	name
password20	name	name
password21	name	name
password22	name	name
password23	name	name
password24	name	name
password25	name	name
password26	name	name
password27	name	name
password28	name	name
password29	name	name
password30	name	name
password31	name	name
password32	name	name
password33	name	name
password34	name	name
password35	name	name
password36	name	name
password37	name	name
password38	name	name
password39	name	name
password40	name	name
password41	name	name
password42	name	name
password43	name	name
password44	name	name
password45	name	name
password46	name	name
password47	name	name
password48	name	name
password49	name	name
password50	name	name

# Contacts

An existing contact ( @handle or @name-as ) ( Asia only)

This means an existing contact handle in the JOKER DATABASE.

Example:

```
owner-contact-handle:COAS-170209
admin-contact-handle:COAS-170209
tech-contact-handle:COAS-170209
billing-contact-handle:COAS-170209
```

ASIA domains require an additional type of contact, the CED contact. This contact has to have its residence in the Asian/Australian area.

The Joker.com Registry Gateways automatically will use your provided tech-contact for the CED contact.

This means that the request for you remains consistent with the usual requests, you only have to make sure that the country code is correct, otherwise the Asia registry will reject the order.

In case you have entered a non-existing contact handle, the system will send you an error.

It is also possible to set a reference to a contact definition, which has been made earlier within the current request. To do so, please use the following syntax:

```
admin-contact-handle:same-as-owner-contact
```

```
tech-contact-handle:same-as-admin-contact
```

```
billing-contact-handle:same-as-tech-contact
```

The @name-as makes always replace the value for the specified contact handle with the email address of the macrotag. If the referenced contact has to be created with this request, it takes the result handle.

Keep in mind that for Asia requests the contact handles for (.com|.net|.org|.info|.biz|.de) contacts are not allowed. If you are referencing to a shortcut like handle@house.net#, you will get an error.

Keywords: whois, contacts, asia

Last update: 2011-08-11 15:41



# Contacts