

Joker.com FAQ

Table of Content

Nameservers	2
Create a nameserver	2
Modify a nameserver	5

Nameservers

```
CREATE COM NAMESERVER
Example 1: create com-ra
subject create com-ra [your reference id]
no-domain-name no-1.dummy.net
no-ip-address 194.111.43.1
```

```
CREATE NET NAMESERVER
Example 1: create net-ra
subject create net-ra [your reference id]
no-domain-name no-1.dummy.net
no-ip-address 194.111.43.1
```

```
CREATE ORG NAMESERVER
Example 1: create org-ra
subject create org-ra [your reference id]
no-domain-name no-1.dummy.org
no-ip-address 194.111.43.1
```

```
CREATE INFO NAMESERVER
Example 1: create info-ra
subject create info-ra [your reference id]
no-domain-name no-1.dummy.info
no-ip-address 194.111.43.1
```

```
CREATE BIZ NAMESERVER
Example 1: create biz-ra
subject create biz-ra [your reference id]
no-domain-name no-1.dummy.biz
no-ip-address 194.111.43.1
```

```
CREATE NAME NAMESERVER
Example 1: create name-ra
subject create name-ra [your reference id]
no-domain-name no-1.dummy.name
no-ip-address 194.111.43.1
```

```
CREATE US NAMESERVER
Example 1: create us-ra
subject create us-ra [your reference id]
no-domain-name no-1.dummy.us
no-ip-address 194.111.43.1
```

```
CREATE DE NAMESERVER
Example 1: create de-ra
subject create de-ra [your reference id]
no-domain-name no-1.dummy.de
no-ip-address 194.111.43.1
```

```
CREATE CN NAMESERVER
Example 1: create cn-ra
subject create cn-ra [your reference id]
no-domain-name no-1.dummy.cn
no-ip-address 194.111.43.1
```

```
CREATE EU NAMESERVER
Example 1: create eu-ra
subject create eu-ra [your reference id]
no-domain-name no-1.dummy.eu
no-ip-address 194.111.43.1
```

Keywords: nameserver, modify domain

Nameservers

Last update: 2011-08-11 15:42

Nameservers

Modify a nameserver

Introduction

modify-ns-com

Valid values for <ns>:

- com
- net
- org
- info
- biz
- mobi
- name
- us
- co
- cn
- ru

With this request you can change the ip-address of a nameserver in the Joker.com database.

ATTENTION

Only nameservers, which Joker.com is responsible for, will be shown with the ip-address in the whole output, so only these nameservers could be changed.

If you submit a "modify-ns"-request for a nameserver under a domain, which is not registered with Joker.com or for a nameserver under a country-code-domain, this request will be ignored.

Request Fields

multi-ns: modify-ns [your reference id]

Definition of this request

Request Field	Old Value	Value
multi-ns	modify-ns [your reference id]	modify-ns [your reference id]
ip-address		

MODIFY COM NAMESERVER

Example 1: modify-com-ns
subject: modify-com-ns [your reference id]
multi-ns: modify-ns [your reference id]

ip-address: 194.111.42.1

MODIFY NET NAMESERVER

Example 1: modify-net-ns
subject: modify-net-ns [your reference id]

Nameservers

no-handle.net, dummy.com

no-p-address:194.111.43.1

MODIFY ORG NAMESPACE

Example 1: modify.org.no
subject: modify.org.no [your reference id]
no-handle.net, dummy.org
no-p-address:194.111.43.1

MODIFY INFO NAMESPACE

Example 1: modify.info.no
subject: modify.info.no [your reference id]
no-handle.net, dummy.info
no-p-address:194.111.43.1

MODIFY BIZ NAMESPACE

Example 1: modify.biz.no
subject: modify.biz.no [your reference id]
no-handle.net, dummy.biz
no-p-address:194.111.43.1

MODIFY NAME NAMESPACE

Example 1: modify.name.no
subject: modify.name.no [your reference id]
no-handle.net, dummy.name
no-p-address:194.111.43.1

MODIFY US NAMESPACE

Example 1: modify.us.no
subject: modify.us.no [your reference id]
no-handle.net, dummy.us
no-p-address:194.111.43.1

MODIFY DE NAMESPACE

Example 1: modify.de.no
subject: modify.de.no [your reference id]
no-handle.net, dummy.de
no-p-address:194.111.43.1

MODIFY CN NAMESPACE

Example 1: modify.cn.no
subject: modify.cn.no [your reference id]
no-handle.net, dummy.cn
no-p-address:194.111.43.1

MODIFY EU NAMESPACE

Example 1: modify.eu.no
subject: modify.eu.no [your reference id]
no-handle.net, dummy.eu
no-p-address:194.111.43.1

Keywords: nameserver, modify-domain

Last update: 2011-08-11 15:42

Nameservers