

# Nameservers

## Create a nameserver

Introduction

create <id>-ns

Valid values for <id>:

- com
- net
- org
- info
- biz
- radio
- name
- us
- de
- cn
- ru

With this request you can create an entry for a nameserver in the Joker.com database. If a nameserver is created, you can reference this nameserver using the hostname during a "create order" request.

ATTENTION

Only nameservers, which Joker.com is responsible for, will be shown with the ip-address in the whole output.

If you submit a "create ns" request for a nameserver under a domain, which is not registered with Joker.com or for a nameserver under a country-code domain, the values for the ip-addresses are ignored.

Request fields

mailsubject: create <id>-ns [your reference id]

| Request field  | Test domain                                                    | Response |
|----------------|----------------------------------------------------------------|----------|
| hostname: test | Test domain (url: <a href="#">https://www.testdomain.de/</a> ) | OK       |
| ip-addresses   | 192.168.1.1                                                    | OK       |

# Nameservers

CREATE COM NAMESERVER  
Example 1: create com-ns  
subject: create-com-ns [your reference id]  
no-domain: name ns1.dummy.com  
no-ip-address: 194.111.43.1

CREATE NET NAMESERVER  
Example 1: create net-ns  
subject: create-net-ns [your reference id]  
no-domain: name ns1.dummy.net  
no-ip-address: 194.111.43.1

CREATE ORG NAMESERVER  
Example 1: create org-ns  
subject: create-org-ns [your reference id]  
no-domain: name ns1.dummy.org  
no-ip-address: 194.111.43.1

CREATE INFO NAMESERVER  
Example 1: create info-ns  
subject: create-info-ns [your reference id]  
no-domain: name ns1.dummy.info  
no-ip-address: 194.111.43.1

CREATE BIZ NAMESERVER  
Example 1: create biz-ns  
subject: create-biz-ns [your reference id]  
no-domain: name ns1.dummy.biz  
  
no-ip-address: 194.111.43.1

CREATE NAME NAMESERVER  
Example 1: create name-ns  
subject: create-name-ns [your reference id]  
no-domain: name ns1.dummy.name  
  
no-ip-address: 194.111.43.1

CREATE US NAMESERVER  
Example 1: create us-ns  
subject: create-us-ns [your reference id]  
no-domain: name ns1.dummy.us  
no-ip-address: 194.111.43.1

CREATE DE NAMESERVER  
Example 1: create de-ns  
subject: create-de-ns [your reference id]  
no-domain: name ns1.dummy.de  
no-ip-address: 194.111.43.1

CREATE CN NAMESERVER  
Example 1: create cn-ns  
subject: create-cn-ns [your reference id]  
no-domain: name ns1.dummy.cn  
no-ip-address: 194.111.43.1

CREATE EU NAMESERVER  
Example 1: create eu-ns  
subject: create-eu-ns [your reference id]  
no-domain: name ns1.dummy.eu  
no-ip-address: 194.111.43.1

Unique solution ID: #2393  
Author: Joker.com  
Last update: 2011-08-11 15:42